Catalogue

1. How to print the full page	2
2. How to connect the printer to Macbook	12
3. How to connect the printer to Windows computer	24
4. How to print email with Android phone	34
5. How to print email with iPhone	46
6. Which kind of paper can I use to print?	54
7. How can I open the top cover?	55
8. How can I find the replacement papers?	56

How to print the full page

If you use our thermal paper(21cm width) to operate printing, and you want to print the file with no margins, please follow the below instructions step by step:

1. Please open the "HerePrint" APP, and then choose the file which you want to print.



2. Choose the file which you want to print.

11月12日, 536 kB, TXT 文档	
com.kugou.android.2022103	P
11月11日, 421 kB, TXT 文档	M
com.kugou.android.support	R
11月11日, 88.40 kB, TXT 文档	h
td.txt	R
11月10日, 70 B, TXT 文档	M
How it works (1).docx	R
10月21日, 14.16 kB, DOCX 文档	M

3. After you open the file, please click the "Print" icon on the top right corner.



4. If you want to print the file which has no margin(full page), please click "Trim whitespace" as the attached picture.

If you want to keep the margin on the printed file, you can skip this step to step 7 directly.

<	How it works (1).docx 🛛 🗐
	How it works
	There are two automated fulfillable inventory removal services that can prevent your inventory from incurring additional storage fees:
	 Automated long-term storage removal: The removal of inventory that would be subject to long-term storage fees.
	 Automated removal of ASINs with no sale: The removal of units of ASINs that have not sold for six or more consecutive months and that would be subject to applicable storage fees.
	Eligible products
	The following products are eligible for automated fulfillable inventory removal:
	Units in fulfilment centers for more than 365 days Units of ASINs that have not sold in six or more consecutive months and that have
	been in fulfilment centers for more than 180 days Opting out
	You're opted in to the automated fulfillable inventory removal services by default. To
	check your status or update your settings, follow these steps:
	Under Settings, select Fulfillment by Amazon. Scroll down to Automated fulfillable inventory settings and click Edit.
	To opt out of the services at any time, select Disable and then cick Update. You can also opt out of either of the two automated removal services on this page.
	🗹 1/1 (1 page(s) selected)
Trim	vhitespace Horizontal layout Vertical layout
L IIIII V	intespace nonzontal tayout vertical tayout

5. Please tick "Trim top and bottom" and "Trim left and right".



6. Click the print icon on the top right corner.



7. Please click the bottom bar as the attached picture.



8. Adjust "Printing density" to more dark then it can make the printing clearer.



9. Choose the paper width to the loaded paper. If you use our thermal paper(21cm width), please choose "A4" size.

2:42 PM 🕸 💿 🔹 🖏 🖬 🖬 🕮 🤇	•••		· •
Cat and Manas Information	Choose paper width		
In these of more they brough a good of all and good in the outputs. (any works more from all should be all should be all 	A4	A5	4 inch
tale new serve for the end of the state of the end of the end of the term of the term of the lefters. More that can be new terms of the end of the lefters. More can be end of the post of the end of the lefters.	Printing mode		
Are means and some and with the Mark Nation's Arelanding some was: "And always" available the call The first or call are some results the first hit is durated, and always are used at - See Mark Managementality, the means areas charging the forests:	Picture	Text	
Printing demity Printing copies			
Choose paper width			
Printing mode Prister Text	Choose paper wid	th according to	the loaded pape
Picture Print Expirite EModerate	enecco paper ma	ar according to	and readed pape

10. Choose printing mode as you need.

242 PM 🛠 🔹 🗱 🖬 📾 📾 🖘	Channel		
	Choose paper width	A5	4 inch
Colour Manue on Navennano, A cut and a manue alcola de lange lances tagatere la mona alcola de lange lange la de la de la de la de la de la de sup a desta lances and testa de la angla de la de la de de la desta de la de la de la de la de la de la de de la de	Printing mode		
ale ana paint for los tras productions Band ana ana ana carter de la construction de la construction de la construction Band ana de la construction de la construction de la construction de la construction Res esta anal a construction de la construction de la construction Res esta anal a construction de la construction de la construction Res esta anal associations particular de la construction de la construction Res estas anal association particular de la construction de la construction Res estas anal associations particular de la construction de la construction Res estas anal association particular de la construction de la construction de la construction Res estas anal association de la construction de la construction de la construction Res estas anal association de la construction de la construction de la construction Res estas analisation de la construction de la construction de la construction de la construction Res estas analisation de la construction de la construction de la construction de la construction Res estas analisation de la construction de la con	Picture	Text	
Transf Hames" annualest for all and There for all and the stream team teams there is their all and the set of all the for- Manameters for protocol and to conserve their topological	Picture 1 copie(s) Moderate	U	Print
Intring density Printing copies			
hoose paper width AA AS 4 inch			
Picture Text	Choose	e "Printing mo	de"
Picture Print Print			

11. Click "Print".

2:42 PM 企 常回 Tail 回 Tail 回 Call Call			
	Choose paper width		
	A4	A5	4 inch
Est and Mouse to Performing A rat and a mouse doubt to keep from together			
In Stress of root they brough it your of the and yout it in the stress. 	Printing mode		
, shis was obtain to be the gestremation: Build intervent to the structure and the the space pill the for is the post. When the for each schware the thermous added the name of this forms. - the cut and	Picture	Text	
The same string happened again only 2 days later, We move a same over wave what the later is device on a set. "Such dams,"	Tout		-
answered the unit Trans that call asset you music threat to this church, and also the test of The feel Manamolia, the musical wave charging the fuscale.	Text 1 copie(s) Heavy		Print
trinting density Printing copies			4m
			U
Troose paper width			
Ad AS 4 yeth			
Picture Text		Click "Print"	
icture Print			

Here are two pictures for your reference to check the difference between the print file which clicked "Trim whitespace" and doesn't click "Trim whitespace".



How it works

There are two automated fulfillable inventory removal services that can prevent your inventory from incurring additional storage fees:

- Automated long-term storage removal: The removal of inventory that would be subject to long-term storage fees.
- Automated removal of ASINs with no sale: The removal of units of ASINs that have not sold for six or more consecutive months and that would be subject to applicable storage fees.

Eligible products

The following products are eligible for automated fulfillable inventory removal:

- · Units in fulfillment centers for more than 365 days
- Units of ASINs that have not sold in six or more consecutive months and that have been in fulfillment centers for more than 180 days

Opting out

You're opted in to the automated fulfillable inventory removal services by default. To check your status or update your settings, follow these steps:

- 1. Under Settings, select Fulfillment by Amazon.
- 2. Scroll down to Automated fulfillable Inventory settings and click Edit.
- 3. To opt out of the services at any time, select **Disable** and then click **Update**. You can also opt out of either of the two automated removal services on this page.

Click "Trim whitespace"

Please note: Click "Trim whitespace" the print file will delete the margin and the font will be full of the page.

If you do not click "Trim whitespace", the print file will keep the margin, it will not be full of the page, but the format will be the same as your original print file. Please adjust this function as you need.

How to connect the printer to Macbook



1. Please push the buttons on both sides and open the top cover.

Push the buttons on both sides and open the top cover

2. Load the paper roll to the paper compartment again and pull some extra paper.



Load the paper roll to the paper compartment again and pull some extra paper



Load the paper roll to the paper compartment again and pull some extra paper

3. Plug one side of the USB cable into the printer and the other side into the computer.



Plug one side of the USB cable into the printer and the other side into the computer

4. Hold down the power button for 3 seconds to turn on the printer.



Hold down the power button for 3 seconds to turn on the printer

5. Open the "Browser".

Safari File Edit View Histo	ary Bookmarks Window Help	
••• • • • >	C Generals of writer available name	Cert and Mouse In Partnership, does
	Favorites	
	Privacy Report Safet is has not encountered any trackers in the last seven days. Your IP address is hidden from known trackers.	and the second
Safari		25
🔮 🏼 🧶 () 🖸 🖏 🔹 🖬 🖀 💷 👘 💷 🕐	A 🕲 🖅 🕒 📝 😓 📪 🗐
	Open the "Browser"	

6. Enter "<u>www.hprt.com/HPRT-MT810</u>" and search it. (You can click this website directly to download the driver on your computer)

Safari File Edit View Histo	ry Bookmarks Window Help	2 P + C 2 × 22 L
••• □ - < >	(@ www.hpt.com/HPRT-MT810 (@	Cat and Mouse in
	Inst.com	Partnership.docs.
	Q, www.hprt.com/HPRT-MTB10	
	Favorites	
	l té l té l	
	Apple KDoud	
	Privacy Report	
	Safari has not encountered any trackers in the last seven days. Your IP address is hidden from known trackers.	
		11
🗳 🖽 🧭 🕻	🗅 🔤 📩 🏶 🛄 🐨 📖 💷 💳 🖬 🚱 📥 🚳 🛛 🖅	
E	nter "www.hprt.com/HPRT-MT810" and sea	irch it

7. Click "Mac Driver Download".

; Safari File Edit View History I	lookmarks Window Help				.H 1985	8 0 7 9 9
••• • • < >	0	hprt.com	0 ig ×	⊕ ₫ +	88	Docu
						Partnership.docx
		X				
		HPRT				
		Thermal Printer p with printing links, suitable for far	u Iv			
		p with printing tinks, subacter for fail and mobile office printing, with a var printing resources.				
	Win Driver Download	Mac Driver Download	Android App Download			
	-					
🛃 🏭 🥥 🖸	🖻 🔆 🏽	4 🛛 :	- 🕶 🗾 💽 🛃	6 7	Q Z	🗢 🐂 🗐
	Clic	k "Mac Dri	ver Downloa	d"		

8. Open the driver after downloading it.







9. Click "Allow".

Installer File Edit Window Help			
			Cat and Mouse In Partienship does
		Install HPHT-MITDIO-PRINTER-ORIVER Webcome to the HPRT-MITBIO-PRINTER-ORIVER Installer	
	Introduction	This package will run a program	- 12 O O - Q Date Added
	© Resa A Agua Dens B Dans C Dens	This package war win a program to determine if the software can be installed. To keep us computer software, you should only us programs to install whenker they so programs to install entower the strated above. If yor's out are above the software's source, out are above the software's source, both are software above.	Age Today at 00:25
	Landton Colora B held	Cancel Atlan	
	Tops • 025 • 025 • 025 • 025 • 025		
💺 🎟 🥥 🖸 🖏	象 💶 🔁 🌉 i		🐨 🕒 📝 🖳 🥪 📪 🖹 /
	С	lick "Allow"	

10. Click "Continue".

Installer Fié (dt Window Held)	 manufactori Surmary 	Install HPRT-MTEID-PRINTER-DRIVER Welcome to the HPRT-MTEID-PRINTER-DRIVER Installer Welcome to the Driver Selay Works.	Cat and Mouse In Partnership dates
€ ros togi € 10 € 10 € 10 € 10 € 10 € 10		On the st	
	4		┛╚╎∕҄҄҄҄Ҿ│ҿ╶ _┱ ≧∕
	Clic	k "Continue"	

11. Click "Install".

Installer File Edit Window Help				0 + 9 2
				nd Mouse in enhigratore
	000	😺 Install HPRT-MT810-PRINTER-DRIVER	a	
		Standard Install on "Macintosh HD"		
	Introduction Destination Select	This will take 143 KB of space on your computer. Click install to perform a standard installation of this software		
001	Installation Type	on the disk "Macintosh HD".	- 0 0 0 - a	
C. Pece	 Burmany 		Date Added -	
A Atel				
C) Deck				
Die Deer				
0.0m				
@ hade		Go Back Install		
• 65	-			
425 • 425 • 27				
	_			
	-			-
💺 🌐 🖉 🖸 🖾 🐎 🖼	4		🕶 🗺 🖉 🧐 🕪	6 2/
		ck "Install"		

12. Enter the password for your Apple ID and click "Install Software".



Enter the password for your Apple ID and click "Install Software"

		Cat and Mouse In Partnership.dock
0.00	😺 Install HPRT-MT810-PRINTER-DRIVER	8
	Installing HPRT-MT810-PRINTER-ORIVER	
= Introduction		
O O O O O O O O		- 0 0 0- Q
Pavantian • Installation	Validating packages	Date Added
A App		age Today at 00:25
E Dest		
C) Dock		
Location		
0.00		
@ www.a		
Tage • (175		•
• 65		
• 55.		
• #0		

13. Click "Close".



14. After the driver has been downloaded, then maybe it will prompt you to remove the driver to trash due to the Macbook has the self-protection mode, but the driver is safe to be used, please click "Keep" to save the driver on your computer.

Installer File Edt Window Help	 Detrobución Destination Space Restination Space Restatation Restatation Susmary 	Install JURT-AT210-INUTER-DRIV The installation was completed bucores Installation was completed bucores Insta	Dur Adda Today at 00.25	Cat and Muses in Partnership disc
• Re • HD		ick "Keep"	7 C 7 C	

15. Open the document you want to print.



16. Click File--Print.





Note: Printer name should be "HPRT MT810". If not, please drop down and select.

Edit Format View Window Help		
	artnership.docx — Lookes	DOCK
And a second sec	Printer: 1998 MIR Consist Copies: 1 C Pages: 0 All From: 1 to: 1	Gat and Mouse in Partnership.doct
2 Show Details	PDF Cancel Port	
: 🖉 🖸 🗖 🐹	🌸 💶 😤 💽 😑 💳 🗤	G 🖊 😓

Note: Printer name should be "HPRT MT810". If not, please drop down and select.

17. Click "Print".

TextEdit File Edit Format View Window Help		3 P + C 2 K 123 L
	Partnarskip dace - (1994)	
1 or 2 > >>	Printer: HPRT MTB10 Copies: 1 C Pages: All From: 1 to 1	Cat and Mouse in Performing.docs
? Show Details	PDF Cancel Price	
	۰ 🕶 🔁 📾 : 🗆 🚥 🗾	0 🔼 🎯 🖅 💽 💋 🔿 😋
	Click "Print"	

How to connect the printer to Windows computer

1. Please push the buttons on both sides and open the top cover.



Push the buttons on both sides and open the top cover

2. Load the paper roll to the paper compartment again and pull some extra paper.



Load the paper roll to the paper compartment again and pull some extra paper



Load the paper roll to the paper compartment again and pull some extra paper

3. Plug one side of the USB cable into the printer and the other side into the computer.



Plug one side of the USB cable into the printer and the other side into the computer

4. Hold down the power button for 3 seconds to turn on the printer.



Hold down the power button for 3 seconds to turn on the printer

5. Open the "Browser".



6. Enter "<u>www.hprt.com/HPRT-MT810</u>" and search it. (You can click this website to download the driver on your computer directly)

e c	⊕ www.hprt.com/HPRT-MT810		12	Guest 😰	
	www.hprt.com/HPRT-MT810				
	Q www.hprt.com/HPRT-MT810 - Bing Search				
		e browsing as a guest			
	As a guest, your browsing data is kept sep. you close all windows you browsed as a gu	arate from the profiles on this device. Here's what happens when uest:			
	Microsoft Edge won't save : Your browsing history Your download history Cookies and site data	Microsoft Edge will save : Files you download			
	Q =	u 🗉 🐂 📾 💅 😋 🗠	960 ND 48		¢ I
				11/3/2022	

7. Click "Win Driver Download".



8. Click "Open file" after downloading the driver.



Click "Open file" after downloading the driver

9. Click "Yes".



Click "Yes"

10. Click "OK".

← C ▲ Not secure www.hprt.com/HPRT-MT810/		A ₀	£≞	± (Guest 😰	•••
	Downloads HPRT_MT810_Printer_Winds Copen Re	Diws_Driver_v2	Q 7.4.0.exe	\$		
Select Setup Languag Select Setup Languag instalation: English	inguage to use during the \sim					
educi	of resources.					
						1

11. Click "I accept the agreement"--Next.

C A Not secure	www.hprt.com/HPRT-MT810/		A^{h}	£j≡	$\underline{\downarrow}$	Guest	
		Downloads	6	Q	\Rightarrow		1
		HPRT_MT810_Printer_V	Windows_Driver_v2.1	.4.0.exe			
	Setup - HPRT MTB10 Printer Window Ucense Agreement Please read the following important in		×				
	Please read the following License Agre agreement before continuing with the	rement. You must accept the terms of the installation.	5				
	USE IS SUBJECT TO THE TERMS AND AGREE TO THE TERMS OF THIS AGRE SOFTWARE AND DOCUMENTATION.	THE "SOFTWARE") IS LICENSED AND ITS CONDITIONS BELOW. IF YOU DO NOT	1				
	HPRT grants to you a non-exclusive,	will print to the thermal printer(s). This					
		Next>	Cancel				
	Win Driver Download	Mac Driver Dov	vnload				
	■ ۹ ⊑ ₪	😑 🖻 🤨 🥌	Ø	~ 9	0 (Ç	2:02 A \$0) Thursd 11/3/20	ay 🖵
		< "Next"					

12. Click "Next".

www.hprt.com/HPRT-MT81	10/ × +					- 0	×
C A Not secure	www.hprt.com/HPRT-MT810/		As	₹j≡	₹ (Guest	
		Downloads	6	ς	\Diamond		1
		HPRT_MT810_Printer_V	Vindows_Driver_v2.7.	4.0.exe			
	Setup - HPRT MT810 Printer Window	rs Driver v2.7.4.0 —	- ×	_	-		
	Select operation of install Please select the operation as you n	eed.	Ð				
	O Instal printer dri Please connect y	ver our printer to the PC and turn it on.					
		< Back Next	Cancel				
	Win Driver Download	Mac Driver Dov		~ %	D 🖸 4(2:02 AM Thursday 11/3/2022	Þ
	Clic	k "Next"					

C A Not	secure www.hprt.com/HPRT-MT8	810/		Ah	s^≡	*	Guest)
			Downloads	0	Q			Î
			HPRT_MT810_Pri	nter_Windows_Driver_v	.7,4.0.exe			- 1
	Setup - HPRT MT81	0 Printer Windows Driv	er v2.7.4.0 -	o x				- 1
	Installing Please wait while t	setup installs the printer of	driver on your computer.	Ð				- 1
	_			_				
								- 1
			La construction de la constructi	Cancel				
			2	Cancel				
			R	Cancel				
	Win Driver Dow	micad	Mac Driver	>				
	Win Driver Dow	micad	ę	>				
	Win Driver Dow	micad	ę	>				
			ę	Download		» ۲	202 AM	

13. Click "Finish".



14. Open the document you want to print.



15. Click the print icon.



Note: Printer name should be "HPRT MT810". If not, please drop down and select.

Paste* D Format B I	· 16.5 · A' A' @ Aa· II· II· II II Z X· AI Q· TT AMBCOD ABB: TABL: TABLE OF ABBCOD AB
	Proter Name (H9RI MIG20 Station Ready
B-	Type: HRRT MT010 Pint to file Where: US0001 Duplee Comment:
	A c Page source: Use printer setting *
	Page sange Copies D All Inv Councer page Selection Number of copies: ■ 3
	"B CPape: transpace numbers and/or page ranger: transpace by comma. For example, 1,3,5-12.
	Sale Prote: All pages Zoom Order Pages per sheet: T Page Of Prown line to bright Salet to pager size: No scaling The Prove lines beforen pages
	DU Options. View replans OK Cancel Finally, after much Consideration,
	the cat said, "I know of no place where it will be better stored up

Note: Printer name should be "HPRT MT810". If not, please drop down and select.

16. Click "OK" to print the file.

<u>х</u> В	Arial			CEDd AaBt:	Q
• 💭 Format Painter		A • X² X• A • A • A = ≡ ≡ Print	-= = F-] 1= • Ω • H+ • №	K Kending 1 . Word Typesetting *	
		Printer Name: HPRT MT810	Properties		£
		Status: Ready	inverse output		
		Type: HPRT MT810 Where: USB001	Print to file Duplex		G
	Br	Comment:			8
	Ac				9
	an			<u>•</u>	
	tha	Page range O All	Copies		
	live	Current page C Selection	Number of copies:	<u>ei</u>	
	"В	Pages: Enter page numbers and/or page ranges	CoBate		•
	or	separated by commas. For example, 1,3,5-12.	Zoom		10
	sai	Print: All pages			0
	ori	O From left to right O From top to bottom		•	
	Th	O Repeat	Draw line between pages		
	but	Options View explains	OK Cancel		
		ally, aπer much consideration,	4		
	the	cat said, "I know of no place wh	ere it will be better stored up		88
1/1 Words: 247	Spell Check				+ 20
		📕 🖉 🖬 🖬	📮 🖻 💇 🤤	∧ 90 ∰ 00 Thursday 11/3/2022	₽ I

How to print email with Android phone

1. Hold down the power button for 3 seconds to turn on the printer.



Hold down the power button for 3 seconds to turn on the printer

2. Please scan the QR code on the box or the picture below to download the APP, or you also you can search "HerePrint" APP on the Google play store and then download it.



Download APP

Scan the QR code on the box to download the APP



Search for "HerePrint" in APP Store or Google Play to download the APP

3. After downloaded the APP, please turn on the Bluetooth in your phone--open the "HerePrint" APP--click "Connect printer".



4. Click "Connect".



5. Open "Gmail" or other email APP.



6. Open the email you want to print.



Open the email you want to print
45 AM 🛠 - 📴 🔹 🕸 🖙 🖏 🖬 🖘	
o subject) Add Model	
U	
to me v f i	
ar outoner.	
od day!	
ank you for your support for HPRT products. I'm will to help you if a have any problem when using our products.	
u can contact with me at any time if you have any questions.	
st regards, HT	
81	
Nocurf Phont and Inc.	
	Open the email you want to prin
fn Reply Win Reply al - PF Forward	Open the email you want to prin

7. Click "Print".

9:45 AM 🕸 - 📮	
÷	Snooze
(no subject) Add label	Change labels
HPRT/Ana Ballam	Move to Inbox
to me v	Mark important
Dear customer.	Mute
Good day!	Print
Thank you for your support for HPI you have any problem when using You can contact with me at any tim	Report
Best regards, HPRT	Add to Tasks
supportPhont.com	Help & feedback
	step o seconda
th Reply the s	Reply all (+ Forward

Click "Print"

8. Choose "Save as PDF".





Choose "Save as PDF"

9. Name this PDF and click "SAVE".





10. Open the "HerePrint" APP, then click "Documents".



11. Click the button in the upper left corner to access the folder.



12. Click "Downloads".



13. Click the PDF just saved.



14. Click the print icon on the top right corner.



15. Click the bottom bar.

9:45 AM 🕸 - 📮 🔰 🕸 📾 🖬 🖬 🖉 🖬 🕼	
Print preview	
M	
The sugard stress	
Mit New Yorkson your Sector Se	
Decision.	
Sector 1	
Hard you for you search to reflit annuals. In out to long you has need up problem when any or annuals. Recommendation to the days time from when any spectrum.	
broph. Jet	
	Click the better ber
Paper width25cm	Click the bottom bar
Picture	
Picture 1 copielal Moderate	
a Ing	
\mathcal{N}	

16. Adjust "Printing density" to more dark it can make the printing clearer.



17. Choose the paper width to the loaded paper. If you use our thermal paper(21cm width), please choose "A4" size.

2:42 PM 🕸 🤤 👘 🖏 🐨			
Print preview			1 (+)
Est and Manasis Indextanding A var part a manual abolica for latera france fragmente Al terror and and many security and all the data paid in the foreignment.	Choose paper width		
Unity a solitor basis that solitor that solitor that a solitor. Addres a tell the solitor that are approved for the fact and solitor and any solitor that are also that all a solitors and the distribution of the solitor that also the solitor and the solitor and the solitor that and any solitor that are solitor that also the tell are also that and address that the solitor and all all all all all all all all all all all	A4	A5	4 inch
When the last cares have been appeared with the space of the Mater. For at and, "Tape off: The same two phagement appears only 2 days sites, the ensure and anno more what the Materia Londoning series and.	Printing mode		
Tradit danse," annuales the soli. These the call and some some receiver to the charact, and are the rest of "she field. Marganetic the theorem and character the factors.	Picture	Text	
Printing density Printing copies			
Choose paper width			
Ad AS d with			
Printing mode			
Picture Text	Choose paper widt	h according to	the loaded paper
Picture Ecolidal Moderate			

18. Choose printing mode as you need.

< Print preview	Choose paper width		
	A4 A	5	4 inch
Edi and Maxes de Networks An de a sues activit et la program Is des an de a sues activit et la program José a celle a disecter en auti al des et A suest la sue. Mare a celle a alter de sue garanza de la fer de sues ana que a sue activit de la celle a anti.	Printing mode		
, de seu palant la de la grandemiente Bala de caracter qui de la de character and an de la de la qui del bala de la grante. Balant de la caracter torne de la monaja alland de caracter al de la deban. - de caractería (Tago-ST) Tha martería de la departería agran cología d'agra carae;	Picture	ext Im	
. We introduce add one are new solution to the strength source was: "We add waters" answerse the solution. There the solution and the strength solution, and add with an era of a fine fine. The solution of the strength solution and add solution and add solution and add the fine.	Picture 1 copie(s) Moderate		Print
Printing density Printing copies			
Choose paper width			
Al A5 4 ech			
Petane Text	Choose "Pri	nting mode"	
Picture Print			

19. Click "Print".



How to print email with iPhone

1. Hold down the power button for 3 seconds to turn on the printer.



Hold down the power button for 3 seconds to turn on the printer

2. Please scan the QR code on the box or the picture below to download the APP, or you also you can search "HerePrint" APP on the Apple store and then download it.



3. After downloaded the APP, please turn on the Bluetooth in your phone--open the "HerePrint" APP--click "Connect printer".



4. Click "Connect".



5. Open the mail you want to print.



6. Click "Arrow" Mark.

7. Click "Print".



8. Click the "Share" button in the top right corner.

Cancel Pr	int Options	G	Prin
Printer	No Printer	Sel) ,
Copies	1	-	+
Paper Size			A4 >
Orientation	Portrait	•1	+••
Scaling	100%	-	+
Layout 1 page per sheet			>

Click the share button in the top right corner

9. Click "More".



Click "More"

10. Click "HerePrint".



11. Click the print icon on the top right corner.



12. Click the bottom bar.



13. Adjust "Printing density" to more dark it can make the printing clearer.



14. Choose the paper width to the loaded paper. If you use our thermal paper(21cm width), please choose "A4" size.

2:42 PM 2:0 Sal C Sal C			1 1 1 1 1 1
Print preview			1 (+)
Cut and Massa is Personality A cut with a course decidence lange theory together	Choose paper width		
In these of neuron they begin as a pair of the antip and is the destinants (and a worker these often created patients) is worked for leads. After a grintly obtain the card parameter built for lead often -marker are an execute that the institute hald a faither and that -destine are an execute that the institute hald a faither and that -destine are an executed that for leads that a faither and that -destine are an executed that are institute that a faither fails on the pairs -destine are an executed that are institute that a faither fails on the pairs	A4	A5	4 inch
When the lot same home the result all the wave of this latter, the cut and. This off The same this forget agrees only 2 days latter, the result all days are not what the kitter is briefweing same was. "Well days "	Printing mode		
une version and the first with These the unit areas more time to the charactic, and are the rest of the fait. Margadiality, the instance was charactery the fiscance	Picture	Text	
Virting density Printing copies			
hosse paper width			
Virting mode Picture Text	Choose paper wi	dth according to	the loaded pape
Picture Print Print		Ū	

15. Choose printing mode as you need.



16. Click "Print".

< Print preview	Choose paper width		
-	A4	A5	4 inch
Car and Manasis Michaelough As of an 4 a manual decide in lange house supplies The first of form of program (2 and 2 and	Printing mode		
Index op en mough forthe for direct for the all software part find direct and and the forthe transmission of the strength of the direct for the parts direct all sound in the direct sound and the strength of the direct for direct for Minimum Energy and how the mouse address of the strength of the Strength The strength energy languages and gala strength 2 allogs have,	Picture	Text	
The means added over mean shall file Adders's detectioning users and, "statistical" accesser of the pile There is a user area mean street in the charaft and all the the stat of the foll. Management for the means are charange the Management	Text 1 copie(s) Heavy		Print
Printing density Printing copies			5
Choose paper width			
A4 A5 43ch			
Printing mode.		Click "Print"	
Picture			

Which kind of paper can I use to print?

MT810 portable printer supports 210mm-wide (A4/A5) roll paper and 110mm-wide paper (coming soon!).

You can choose the paper size on the "HerePrint" APP according to the loaded paper.

C Print preview			1 (+)
free a profile and the second se	Choose paper width		
The exercises: Canada and the second and the SMM products of the selfs the selfs year of products on any products within a second any product of the second and t	A4	A5	4 inch
second and a second	Printing mode		
	Picture	Text	
Printing density Printing copies			
Print size			
A4 A5 4 inch			
Printing mode			
Picture Text	Choose paper widt	h according to	the loaded pap
Picture Print			

How can I open the top cover?

Press the buttons in the both side at the same time until pressing to the bottom. You need to press hard with your power.



Push the buttons on both sides and open the top cover



Push the buttons on both sides and open the top cover



Push the buttons on both sides and open the top cover

How can I find the replacement papers?

We have the 210mm-wide (A4/A5) roll paper in stock now. Paper Size: 210mm x 700mm(8.27in x 21.6in). Support continuous multi-sheet printing for or long patterns, articles, and files.

Here is a product link for your reference: https://www.amazon.com/dp/B0B9W9MFB2?ref=myi_title_dp

